



Legislation Details (With Text)

**File #:** 83957      **Version:** 1      **Name:** 4216 St Clair St  
**Type:** Miscellaneous      **Status:** Approved  
**File created:** 6/14/2024      **In control:** BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD  
**On agenda:**      **Final action:** 6/18/2024  
**Enactment date:**      **Enactment #:**

**Title:** 4216 St Clair St  
 BLDVAR-2024-09168  
 The applicant is seeking a variance from SPS 321.04(2)(d) requiring stairways shall be provided with a minimum headroom clearance of 76 inches measured vertically from a line parallel to the nosing of the treads to the ceiling, soffit or any overhead obstruction directly above that line. alder District 11

**Sponsors:**

**Indexes:**

**Code sections:**

**Attachments:** 1. 4216 Saint Clair Street Building Variance Application.pdf

Date	Ver.	Action By	Action	Result
6/18/2024	1	BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD		

**Title**

4216 St Clair St  
 BLDVAR-2024-09168  
 The applicant is seeking a variance from SPS 321.04(2)(d) requiring stairways shall be provided with a minimum headroom clearance of 76 inches measured vertically from a line parallel to the nosing of the treads to the ceiling, soffit or any overhead obstruction directly above that line. alder District 11