



Legislation Details (With Text)

File #: 27991 **Version:** 1 **Name:** 409 N. Baldwin Street
Type: Miscellaneous **Status:** Held in Committee
File created: 10/10/2012 **In control:** BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD
On agenda: **Final action:** 3/31/2022
Enactment date: **Enactment #:**

Title: 409 N. Baldwin Street (M-10-47-2012)
Steven Boeker appealing MGO 29.19. The rule requires handrails through the adoption of SPS 321.04, which requires at least one handrail where there are three or more risers. The property is a rental property. The owner does not want to provide the handrail because it has existed without one.

Sponsors:

Indexes:

Code sections:

Attachments: 1. 409 N Baldwin St.pdf

Date	Ver.	Action By	Action	Result
10/16/2012	1	BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD	Table	Pass

Title

409 N. Baldwin Street (M-10-47-2012)
Steven Boeker appealing MGO 29.19. The rule requires handrails through the adoption of SPS 321.04, which requires at least one handrail where there are three or more risers. The property is a rental property. The owner does not want to provide the handrail because it has existed without one.