



Legislation Details (With Text)

File #: 29899 **Version:** 2 **Name:** Open flames
Type: Ordinance **Status:** Passed
File created: 4/23/2013 **In control:** BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD
On agenda: 6/4/2013 **Final action:** 6/4/2013
Enactment date: 6/13/2013 **Enactment #:** ORD-13-00104
Title: SUBSTITUTE Amending Section 34.308 of the Madison General Ordinances to prohibit the use of large grills on balconies.
Sponsors: Paul E. Skidmore, Michael E. Verveer
Indexes:
Code sections:
Attachments: 1. Version 1

Date	Ver.	Action By	Action	Result
6/4/2013	2	COMMON COUNCIL	Adopt	Pass
5/21/2013	1	BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD	RECOMMEND TO COUNCIL TO ADOPT - REPORT OF OFFICER	Pass
4/30/2013	1	COMMON COUNCIL	Referred	Pass
4/23/2013	1	Attorney's Office/Approval Group	Referred for Introduction	

Fiscal Note

No appropriation is required.

Title

SUBSTITUTE Amending Section 34.308 of the Madison General Ordinances to prohibit the use of large grills on balconies.

Body

DRAFTER'S ANALYSIS: The International Fire Code was amended and now includes the relevant language found in Section 34.308. This ordinance removes exception three of the IFC which permits LP gas containers with a water capacity greater than 2½ pounds to be used on balconies.

The Common Council of the City of Madison do hereby ordain as follows:

Section 34.308 entitled "Open Flames" of the Madison General Ordinances is amended to read as follows:

"34.308 OPEN FLAMES.

IFC section 308.1.4 shall be replaced with the following language: amended to remove Exception three (3).

- (1) Charcoal burners and other open-flame cooking devices shall not be operated on combustible balconies or within ten (10) feet of combustible construction. Exceptions:
- (a) One and two-family dwellings.
 - (b) Where buildings, balconies and decks are protected by an automatic sprinkler system.
- (2) LP-gas burners having an LP-gas container with a water capacity greater than two and a half (2½) pounds [nominal 1 pound (0.454 kg) LP-gas capacity] shall not be stored or operated on balconies unless they are served by exterior stairways. Exceptions:
- (a) One and two-family dwellings.

(b) ~~Where buildings, balconies and decks are protected by an automatic sprinkler system.~~

EDITOR'S NOTE: The text of Exception (3) from IFC section 308.1.4 reads as follows:

"3. LP-gas cooking devices having LP-gas container with a water capacity not greater than 2-1/2 pounds [nominal 1 pound (0.454 kg) LP-gas capacity]."