



COYLE WHITNEY WAY
DEVELOPMENT

501 N. WHITNEY WAY MADISON, WI

5 STORY, 40 UNIT APARTMENT BUILDING; 2
LEVELS ABOVE & UNDERGROUND PARKING



SHEET INDEX

GENERAL

G 000 COVER SHEET

SITE

CA101 ARCHITECTURAL SITE PLAN
CA102 SITE LIGHTING PLAN
CA103 FIRE DEPARTMENT ACCESS PLAN
CA104 LOT COVERAGE

CIVIL

C001 NOTES & LEGENDS
C100 EXISTING CONDITIONS
C101 DEMOLITION PLAN
C200 SITE PLAN
C300 GRADING PLAN
C301 EROSION CONTROL PLAN
C400 UTILITY PLAN
C500 CONSTRUCTION DETAILS
C501 CONSTRUCTION DETAILS
C502 CONSTRUCTION DETAILS
C503 CONSTRUCTION DETAILS

LANDSCAPE

L100 LANDSCAPE PLAN
L200 LANDSCAPE NOTES

ARCHITECTURAL

AC100 BASEMENT FLOOR PLAN
AC101 FIRST FLOOR PLAN
AC102 SECOND FLOOR PLAN
AC103 THIRD FLOOR PLAN
AC104 FOURTH FLOOR PLAN
AC105 FIFTH FLOOR PLAN
AC106 ROOF PLAN

AC201 EXTERIOR ELEVATIONS
AC202 EXTERIOR ELEVATIONS
AC203 EXTERIOR ELEVATIONS - COLORED
AC204 EXTERIOR ELEVATIONS - COLORED

CONCEPT IMAGES

PROJECT DATE: 2025.10.06

ISSUED FOR:

LU SUBMITTAL - 2025.10.06

PROJECT NUMBER 2517






ISSUED
2025.10.06 - LU SUBMITTAL

PROJECT TITLE
Coyle
Whitney Way
Development

SHEET TITLE
Architectural
Site Plan


CA101

© Knothe & Bruce Architects, LLC




BIKE RACKS

TYPE A
 EXTERIOR FLOOR
 MOUNTED: "INVERTED U"
 TYPE. MADRAX UX OR
 SARIS BIKE DOCK





TYPE B
 EXTERIOR FLOOR
 MOUNTED: MADRAX
 SPARTAN RACK



TYPE C
 INTERIOR WALL MOUNTED:
 MADRAX VERTICAL RACK
 OR SARIS BIKE TRACK

12. THE PUBLIC RIGHT-OF-WAY IS THE SOLE JURISDICTION OF THE CITY OF MADISON AND IS SUBJECT TO CHANGE AT ANY TIME PER THE RECOMMENDATION/PLAN OF THE TRAFFIC ENGINEERING AND CITY ENGINEERING DIVISIONS. NO ITEMS SHOWN ON THIS SITE PLAN IN THE RIGHT-OF-WAY ARE PERMANENT AND MAY NEED TO BE REMOVED AT THE APPLICANTS EXPENSE UPON NOTIFICATION BY THE CITY.





knothe • bruce
ARCHITECTS

Phone: 608.836.3690 8401 Greenway Blvd., Suite 900
Middleton, WI 53562



City of Madison Fire Department

314 W Dayton Street, Madison, WI 53703
Phone: 608-266-4420 • Fax: 608-267-1100 • E-mail: fire@cityofmadison.com

Project Address: Coyle - 501 N. Whitney Way, Madison, WI

Contact Name & Phone #: Kevin Burow 608-836-3690

FIRE APPARATUS ACCESS AND FIRE HYDRANT WORKSHEET

1. Is the building completely protected by an NFPA 13 or 13R automatic fire sprinkler system?	☒ Yes	☐ No	☐ N/A
If non-sprinklered, fire lanes extend to within 150-feet of all portions of the exterior wall?	☐ Yes	☐ No	☒ N/A
If sprinklered, fire lanes are within 250-feet of all portions of the exterior wall?	☒ Yes	☐ No	☐ N/A
2. Is the fire lane constructed of concrete or asphalt, designed to support a minimum load of 85,000 lbs?	☒ Yes	☐ No	☐ N/A
a) Is the fire lane a minimum unobstructed width of at least 20-feet?	☒ Yes	☐ No	☐ N/A
b) Is the fire lane unobstructed with a vertical clearance of at least 13½-feet?	☒ Yes	☐ No	☐ N/A
c) Is the minimum inside turning radius of the fire lane at least 28-feet?	☒ Yes	☐ No	☐ N/A
d) Is the grade of the fire lane not more than a slope of 8%?	☒ Yes	☐ No	☐ N/A
e) Is the fire lane posted as fire lane? (Provide detail of signage.)	☐ Yes	☒ No	☐ N/A
f) Is a roll-able curb used as part of the fire lane? (Provide detail of curb.)	☐ Yes	☒ No	☐ N/A
g) Is part of a sidewalk used as part of the required fire lane? (Must support +85,000 lbs.)	☐ Yes	☒ No	☐ N/A
3. Is the fire lane obstructed by security gates or barricades? If yes:	☐ Yes	☒ No	☐ N/A
a) Is the gate a minimum of 20-feet clear opening?	☐ Yes	☐ No	☒ N/A
b) Is an approved means of emergency operations installed, key vault, padlock or key switch?	☐ Yes	☐ No	☒ N/A
4. Is the Fire lane dead-ended with a length greater than 150-feet?	☐ Yes	☒ No	☐ N/A
If yes, does the area for turning around fire apparatus comply with IFC D103?	☐ Yes	☐ No	☒ N/A
5. Is any portion of the building to be used for high-piled storage in accordance with IFC Chapter 3206.6	☐ Yes	☒ No	☐ N/A
If yes, see IFC 3206.6 for further requirements.			
6. Is any part of the building greater than 30-feet above the grade plane?	☒ Yes	☐ No	☐ N/A
If yes, answer the following questions:			
a) Is the aerial apparatus fire lane parallel to one entire side of the building and covering at least 25% of the perimeter?	☒ Yes	☐ No	☐ N/A
b) Is the near edge of the aerial apparatus fire lane between 15' and 30' from the building?	☒ Yes	☐ No	☐ N/A
c) Are there any overhead power or utility lines located across the aerial apparatus fire lane?	☐ Yes	☒ No	☐ N/A
d) Are there any tree canopies expected to grow across the aerial fire lane? (Based on mature canopy width of tree species)	☐ Yes	☒ No	☐ N/A
e) Does the aerial apparatus fire lane have a minimum unobstructed width of 26-feet?	☒ Yes	☐ No	☐ N/A
f) Is the space between the aerial lane and the building free of trees exceeding 20' in heights?	☒ Yes	☐ No	☐ N/A
7. Are all portions of the required fire lanes within 500-feet of at least (2) hydrants?	☒ Yes	☐ No	☐ N/A
Note: Distances shall be measured along the path of the hose lay as it comes off the fire apparatus.			
a) Is the fire lane at least 26' wide for at least 20-feet on each side of the hydrants?	☒ Yes	☐ No	☐ N/A
b) Is there at least 40' between a hydrant and the building?	☒ Yes	☐ No	☐ N/A
c) Are the hydrant(s) setback no less than 5-feet nor more than 10-feet from the curb or edge of the street or fire lane?	☒ Yes	☐ No	☐ N/A
d) Are hydrants located in parking lot islands a minimum of 3½-feet from the hydrant to the curb?	☐ Yes	☒ No	☐ N/A
e) Are there no obstructions, including but not limited to: power poles, trees, bushes, fences, posts located, or grade changes exceeding 1½-feet, within 5-feet of a fire hydrant?	☒ Yes	☐ No	☐ N/A
Note: Hydrants shall be installed and in-service prior to combustible construction on the project site.			

Attach an additional sheet if further explanation is required for any answers.

This worksheet is based on MGO 34.503 and IFC 2021 Edition Chapter 5 and Appendix D; please see the codes for further information.

Revised 06/2022

FIRE ACCESS DATA

BUILDING #1


BUILDING PERIMETER 460 LINEAR FEET

26' WIDE AERIAL APPARATUS FIRE LANE 115 LR. FT. REQUIRED (25%)
206 LR. FT. PROVIDED

20' WIDE FIRE ACCESS LANE



250' MAX. HOSE LAY FROM 20' FIRE ACCESS LANE

500' MAX. HOSE LAY FROM HYDRANT TO FAR END OF AERIAL APPARATUS LANE



FIRE DEPARTMENT ACCESS PLAN

1" = 20'-0"



1 INCH = 20 FT (24X36 SHEET)

PROJECT TITLE

Coyle
Whitney Way
Development

501 N. Whitney Way
Madison, Wisconsin

SHEET TITLE

Fire Department
Access Plan

SHEET NUMBER

CA103

PROJECT NO.

2517

© Knothe & Bruce Architects, LLC



knothe • bruce
ARCHITECTS

Phone: 608.836.3690 8401 Greenway Blvd., Suite 900
Middleton, WI 53562

ISSUED
2025.10.06 - LU SUBMITTAL

PROJECT TITLE
Coyle
Whitney Way
Development


501 N. Whitney Way
Madison, Wisconsin
SHEET TITLE
Lot Coverage

SHEET NUMBER


CA104

PROJECT NO. **2517**

© Knothe & Bruce Architects, LLC




LOT COVERAGE	
ZONING	TSS
MAXIMUM LOT COVERAGE	18,055 S.F. / 85%
LOT AREA	21,241 S.F.
PROPOSED LOT COVERAGE	16,672 S.F. / 78%




LOT COVERAGE



1" = 20'-0"



GRAPHIC SCALE



1 INCH = 20 FT (24X36 SHEET)



TOPOGRAPHIC SYMBOL LEGEND

- EXISTING SIGN (TYPE NOTED)
- EXISTING CURB INLET
- EXISTING FIELD INLET
- EXISTING STORM MANHOLE
- EXISTING SANITARY MANHOLE
- EXISTING FIRE HYDRANT
- EXISTING GAS VALVE
- EXISTING GAS METER
- EXISTING ELECTRIC MANHOLE
- EXISTING ELECTRIC RECTANGULAR MANHOLE
- EXISTING TRANSFORMER
- EXISTING LIGHT POLE
- EXISTING UTILITY POLE
- EXISTING TELEPHONE PEDESTAL
- EXISTING TRAFFIC SIGNAL
- EXISTING CONIFEROUS TREE
- EXISTING DECIDUOUS TREE
- EXISTING TREE STUMP
- EXISTING ADA DETECTABLE WARNING FIELD

SURVEY LEGEND

- FOUND 1-1/4" Ø IRON ROD
- FOUND 3/4" Ø IRON ROD

TOPOGRAPHIC LINEWORK LEGEND

- FO - EXISTING FIBER OPTIC LINE
- OHT - EXISTING OVERHEAD TELEPHONE LINE
- UT - EXISTING UNDERGROUND TELEPHONE
- RETAINING WALL (WOOD TIMBER)
- RETAINING WALL (CONCRETE)
- EXISTING WOOD FENCE
- G - EXISTING GAS LINE
- UE - EXISTING UNDERGROUND ELECTRIC LINE
- SAN - EXISTING SANITARY SEWER LINE (SIZE NOTED)
- ST - EXISTING STORM SEWER LINE (SIZE NOTED)
- EDGE OF TREES
- WM - EXISTING WATER MAIN (SIZE NOTED)
- 940 - EXISTING MAJOR CONTOUR
- 938 - EXISTING MINOR CONTOUR
- EXISTING EDGE OF PAVEMENT
- EXISTING CONCRETE SURFACE
- EXISTING ASPHALT SURFACE

EXISTING CONDITIONS NOTES:

- This survey is based upon field survey work performed from June 17-July 15, 2025. Any changes in site conditions after July 15, 2025 are not reflected by this survey.
- The existing property lines shown on this plan are based upon found monumentation, surveys of record and the recorded deeds.
- This map is referenced to the Wisconsin County Coordinate System-Dane Zone, NAD 83 (2011). Elevations are based upon NAVD88 datum.
- All underground utilities have been located per markings placed on the ground or maps provided by the utilities (owners) and/or their authorized representatives. Markings are per Digger's Hotline tickets number 20252408039. No private locate request was made. Vierbicher does not warrant the locations marked or mapped by others.
- The easterly sanitary lateral along Sheboygan Avenue and the water lateral serving the existing building were surveyed from markings on the ground. The other sewer laterals were placed using the City of Madison utilities website.
- Sewer and water structures were surveyed. Sewer pipes are shown per the City of Madison utilities website.
- No attempt has been made as a part of this survey to obtain or show data concerning condition, or capacity of any utility or municipal/public service facility. For information regarding these utilities contact the appropriate agencies.
- This existing conditions plan was prepared at the request of Adam Coyle, Eight & Eight Partnership, 2317 South Staughton Road, Madison, WI 53716.

EXISTING STORM STRUCTURE TABLE				
NAME	TYPE	RIM	INVERT	DIRECTION
ST1	STMH	922.00	???.??	N
ST1 & ST2 WERE		???.??		E
INACCESSIBLE		???.??		S
ST2	STMH	924.44	???.??	N
		???.??		SE
ST3	FIN	927.39	925.99	NW
ST4	CIN	918.29	909.79	N
		916.25		SE
ST5	CIN	936.40	933.05	SW&NW



EXISTING SANITARY STRUCTURE TABLE				
NAME	TYPE	RIM	INVERT	DIRECTION
S1	SMH	922.94	915.38	N
			915.62	E
			915.64	S
			842.42	SW
S2	SMH	935.15	928.07	N
			928.89	E
			928.22	S
S3	SMH	947.80	940.45	S
			939.66	W

EXISTING CONDITIONS


501 N WHITNEY WAY
MADISON
DANE COUNTY, WI

REVISIONS		REVISIONS	
NO.	DATE	NO.	DATE

DATE	10/06/2025
DRAFTER	DRAFTER
CHECKED	CHECKED
PROJECT NO.	250426
C100	



C101	PROJECT NO. 250426		CHECKED CHECKED		DRAFTER DRAFTER		DATE 10/06/2025	REVISIONS		REVISIONS		DEMOLITION PLAN	
												501 N WHITNEY WAY	
												MADISON	
												DANE COUNTY, WI	



NOT FOR CONSTRUCTION



vierbicher
planners | engineers | advisors



SITE PLAN

501 N WHITNEY WAY
MADISON
DANE COUNTY, WI



REVISIONS		REVISIONS	
NO.	DATE	NO.	DATE

DATE: 10/06/2025
DRAFTER: EKAA
CHECKED: SCHU
PROJECT NO.: 250426

C200



C300	PROJECT NO. 250426		CHECKED ☒		DRAFTER DRAFTER	DATE 10/06/2025		
	REVISIONS		REVISIONS					
	NO.	DATE	REMARKS	NO.	DATE	REMARKS		
							GRADING PLAN	
							501 N WHITNEY WAY	
							MADISON	
							DANE COUNTY, WI	





vierbicher
planners | engineers | advisors

EROSION CONTROL PLAN

501 N WHITNEY WAY
MADISON
DANE COUNTY, WI

REVISIONS		REVISIONS	
NO.	DATE	NO.	DATE



DATE
10/06/2025

DRAFTER
EKAA

CHECKED
SCHU

PROJECT NO.
250426

C301



vierbicher
planners | engineers | advisors



UTILITY PLAN
501 N WHITNEY WAY
MADISON
DANE COUNTY, WI

REVISIONS		REVISIONS	
NO.	DATE	NO.	DATE

DATE
10/06/2025
DRAFTER
EKAA
CHECKED
SCHU
PROJECT NO.
250426

C400

NOT FOR CONSTRUCTION



<u>CODE</u>	<u>BOTANICAL / COMMON NAME</u>	<u>ROOT COND.</u>	<u>SIZE</u>	<u>NOTES</u>	<u>QTY</u>
<u>DECIDUOUS TREES</u>					
QR	Quercus rubra / Red Oak	B & B	2.5"Cal		1
<u>UNDERSTORY TREES</u>					
AL	Amelanchier laevis / Allegheny Serviceberry	B & B	4' ht.	Multi-Stem	11
CP	Carpinus caroliniana / American Hornbeam	B & B	7' ht.		1
CE	Cercis canadensis / Eastern Redbud Multi-trunk	B & B	2.5"Cal		2
CI	Crataegus crus-galli inermis / Thornless Cockspur Hawthorn	B & B	1.5"Cal		2
MI	Malus ioensis / Prairie Crabapple	15 gal	4' ht.		1
<u>DECIDUOUS SHRUBS</u>					
Am	Aronia melanocarpa / Black Chokeberry	Cont.	5 Gal.		11
Cm	Ceanothus americanus / New Jersey Tea	Cont.	3 Gal.		13
Ca-2	Cornus sericea 'Alleman's Compact' / Dwarf Red Twig Dogwood	Cont.	5 Gal.		6
Ld	Diervilla lonicera / Honeysuckle	Cont.	5 Gal.		11
Po-2	Physocarpus opulifolius 'Nanus' / Dwarf Ninebark	Cont.	5 Gal.		6
Vd-2	Viburnum dentatum 'KLMseventeen' / Little Joe™ Arrowwood Viburnum	Cont.	5 Gal.		1

	GROUNDCOVER #1	995 sf
	Allium cernuum / Nodding Onion	82
	Carex brevior / Oval Sedge	103
	Carex palmata / Stiff Tickseed	82
	Echinacea pallida / Pale Purple Coneflower	82
	Liatris aspera / Rough Blazing Star	82
	Sporobolus heterolepis / Prairie Dropseed	598
	DECORATIVE STONE #1	408 sf
	GROUNDCOVER #2	213 sf
	Aquilegia canadensis / Eastern Columbine	18
	Carex albicans / White-tinged Sedge	76
	Carex bromoides / Bromelike Sedge	66
	Carex pensylvanica / Pennsylvania Sedge	9
	Carex rosea / Rosy Sedge	22
	Heuchera richardsonii / Prairie Alou Root	22
	Viola sororia / Woolly Blue Violet	9

DATE	10/06/2025
DRAFTER	EGOR
CHECKED	SCHU
PROJECT NO.	250426

1. ALL PLANTINGS SHALL CONFORM TO QUALITY REQUIREMENTS AS PER ANSI Z60.1.
2. ALL PLANT MATERIAL SHALL BE TRUE TO SPECIES, VARIETY AND SIZE SPECIFIED, NURSERY GROWN IN ACCORDANCE WITH GOOD HORTICULTURAL PRACTICES, AND UNDER CLIMATIC CONDITIONS SIMILAR TO THOSE OF THE PROJECT SITE.
3. CONTACT LANDSCAPE ARCHITECT, IN WRITING, TO REQUEST ANY PLANT MATERIAL SUBSTITUTIONS DUE TO AVAILABILITY ISSUES.
4. ALL PLANTS SHALL BE GUARANTEED TO BE IN HEALTHY AND FLOURISHING CONDITION DURING THE GROWING SEASON FOLLOWING INSTALLATION. ALL PLANT MATERIAL SHALL BE GUARANTEED FOR ONE YEAR FROM THE TIME OF INSTALLATION.
5. EXACT LOCATIONS OF EACH PLANT ARE GIVEN IN PLAN. WHILE SLIGHT DEVIATIONS ARE ACCEPTABLE, OVERALL SCHEMATIC/ORIENTATION TO BE ADHERED TO AS ACCURATELY AS POSSIBLE. NOTIFY LANDSCAPE ARCHITECT OF ANY CONFLICTS.

1. CONTRACTOR SHALL PROVIDE A SUITABLE AMENDED TOPSOIL BLEND FOR ALL PLANTING AREAS WHERE SOIL CONDITIONS ARE UNSUITABLE FOR PLANT GROWTH. TOPSOIL SHALL CONFORM TO QUALITY REQUIREMENTS AS PER SECTION 625.2(1) OF THE "STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION," PROVIDE A MINIMUM OF 18" OF TOPSOIL IN ALL PLANTING AREAS AND 6" OF TOPSOIL IN AREAS TO BE SEEDDED/SODDED.
2. SUBSOIL UNDER TURF AND PLANTING BEDS MUST BE FREE DRAINING AND LOOSE TO ALLOW ROOT PENETRATION AND DRAINAGE. LANDSCAPE CONTRACTOR SHOULD NOTIFY GENERAL CONTRACTOR IF SUBSURFACE COMPACTION IS UNFIT FOR PLANTING. LANDSCAPE CONTRACTOR IS NOT RESPONSIBLE FOR SUBSURFACE SOIL PREPARATION.
3. LANDSCAPE BEDS TO BE MULCHED WITH UNDYED SHREDDED HARDWOOD BARK MULCH TO 3" DEPTH MIN. DO NOT ALLOW MULCH TO COVER LEAVES, STEMS, OR TRUNKS OF INSTALLED PLANTS. NO LANDSCAPE FABRIC TO BE INSTALLED WITHIN PLANTED AREAS.
4. AREAS IDENTIFIED AS DECORATIVE STONE #1 ARE TO BE INSTALLED USING 1"-2". WASHED STONE TO A DEPTH OF 3" MINIMUM. LAY COMMERCIAL GRADE LANDSCAPE FABRIC BETWEEN GRADE AND STONE.
5. LANDSCAPE BEDS, DECORATIVE STONE, AND SEEDDED AREAS ARE SEPARATED WITH COMMERCIAL GRADE ALUMINUM LANDSCAPE EDGING, PERMALOC CLEANLINE 8"x4" OR EQUAL, COLOR BLACK ANODIZED.
4. ALL TREES AND/OR SHRUBS PLANTED IN SEEDDED AREAS TO BE INSTALLED WITH A 6" DIAMETER UNDYED SHREDDED HARDWOOD BARK MULCH RING AT A DEPTH OF 3" AND SHOVEL CUT EDGE. A SLOW RELEASE FERTILIZER AND MYCORRHIZAL INOCULATE SHOULD BE APPLIED TOPICALLY AT TIME OF PLANTING PRIOR TO MULCH APPLICATION ACCORDING TO MANUFACTURER SPECIFICATIONS.

1. CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS FOR ANY RIGHT OF WAY WORK.
2. CONTRACTOR SHALL VERIFY ALL UTILITIES WITHIN SCOPE OF CONTRACT.
3. CONTRACTOR SHALL COORDINATE ALL WORK WITH OTHER CONTRACTORS AT SITE AND COMPLETE WORK PER SCHEDULE.
4. CONTRACTOR SHALL CLEAN ALL PAVEMENT AREAS WITHIN SITE AFTER COMPLETION. CONTRACTOR SHALL CLEAN ANY AFFECTED PAVED AREAS OUTSIDE OF DISTURBANCE DELINEATION DAILY.
5. ALL MATERIAL QUANTITIES AND AREA MEASUREMENTS SHOWN ON LANDSCAPE PLAN ARE TO BE CONFIRMED BY LANDSCAPE CONTRACTOR. LANDSCAPE CONTRACTOR IS RESPONSIBLE FOR VERIFYING AND ADJUSTING FOR ANY QUANTITATIVE DISCREPANCIES BETWEEN PLAN, SCHEDULES, AND PREPARED CONDITIONS PRIOR TO INSTALLATION.
6. PLANTS SHALL BE INSTALLED WHEN ALL GRADING AND CONSTRUCTION HAS BEEN COMPLETED WITHIN THE IMMEDIATE VICINITY.
7. ANY PREPARED SITE CONDITIONS THAT CONTRADICT THE LANDSCAPE PLAN AND NEGATIVELY AFFECT THE SUCCESS OF PLANTINGS SHALL BE BROUGHT TO THE ATTENTION OF THE LANDSCAPE ARCHITECT.
8. LANDSCAPE CONTRACTOR TO PROVIDE 60 DAYS OF INITIAL MAINTENANCE PERIOD FOLLOWING LANDSCAPE INSTALLATION. CONTRACTOR IS RESPONSIBLE FOR WATERING ALL SEEDINGS AND PLANTINGS, AS WELL AS MOWING, WEEDING AND MATERIAL CLEAN UP.

1. ALL UNLABELLED DISTURBED AREAS AND AREAS SHOWN AS TURF GRASS TO BE SEEDDED WITH "MADISON PARKS" SEED MIX BY LA CROSSE SEED OR EQUIVALENT. ALL SEEDED AREAS ARE TO BE WATERED DAILY TO MAINTAIN ADEQUATE SOIL MOISTURE FOR PROPER GERMINATION. AFTER VIGOROUS GROWTH IS ESTABLISHED, APPLY $\frac{1}{2}$ " WATER TWICE WEEKLY UNTIL FINAL ACCEPTANCE. (PRIOR TO ROUTINE MAINTENANCE SCHEDULE ESTABLISHMENT, MOWING SHOULD OCCUR TO MAINTAIN A TURF HEIGHT OF 3"-6.") PRIOR TO SEEDING APPLY A MINIMUM OF 4" TOPSOIL TO ENTIRE AREA. FOLLOWING SEEDING APPLY A MULCH LAYER OF STRAW OR STRAW MAT.
2. INSTALL GROUNDCOVERS AS 2.5" PLUGS OR EQUAL. PLUGS TO BE INSTALLED 12" ON CENTER IN A TRIANGULAR GRID PATTERN. PLANT SPECIES RANDOMLY THROUGHOUT SPECIFIED AREA, MAINTAINING A REPRESENTATIVE RATIO OF SPECIES AS SHOWN IN THE CONCEPT PLANT SCHEDULE THROUGHOUT PLANTING. PLUG NUMBERS ARE APPROXIMATE BASED ON AREA, CONTRACTOR TO CONFIRM QUANTITIES. QUANTITIES IN SCHEDULE REPRESENT TOTAL PLUGS PER SPECIES FOR ALL GROUNDCOVER AREAS SHOWN, EACH AREA TO RECEIVE A REPRESENTATIVE FRACTION OF PLUGS BASED ON THE SQUARE FOOTAGE OF EACH RESPECTIVE PLANTING LOCATION SPECIFIED. WHERE SHRUBS/TREES ARE SHOWN WITHIN GROUNDCOVER AREAS, SUBSTITUTE SHRUB/TREE FOR PLUG AND SPACE SURROUNDING PLUGS 12" FROM SHRUB/TREE ROOT MASS, PATTERN ACCORDING. WHERE PLANTINGS ABOVE WALKWAYS AND STRUCTURES, MAINTAIN A 12" BORDER OF MULCH CONTAINING NO PLUGS. APPLY BIODEGRADABLE NON-WOVEN GEOTEXTILE WEED BARRIER FABRIC TO SOIL SURFACE PRIOR TO PLANTING, ICEE GAPS IN FABRIC FOR EACH PLUG. APPLY $\frac{1}{2}$ " WATER DAILY FOR 4 WEEKS FOLLOWING INSTALLATION. APPLY AN INITIAL APPLICATION OF PRE-EMERGENT HERBICIDE PER MANUFACTURER'S INSTRUCTIONS AND STATE REGULATIONS, REPEAT APPLICATIONS THROUGHOUT ESTABLISHMENT PERIOD PER MANUFACTURER'S RECOMMENDATIONS. APPLY 2" OF SHREDDED HARDWOOD MULCH AT TIME OF PLANTING. SUGGESTED MAINTENANCE INCLUDES MULCH, WEED REMOVAL, AND PRE-EMERGENT HERBICIDE TREATMENTS FOR THE FIRST 5 YEARS. ANNUAL MAINTENANCE IS SUGGESTED TO INCLUDE A CUT BACK TREATMENT DURING THE EARLY SPRING SEASON PRIOR TO PLANT EMERGENCE.

1. DO NOT HEAVILY PRUNE TREE AT PLANTING. PRUNE ONLY CROSSING LIMBS, CO-DOMINANT LEADERS, AND BROKEN OR DEAD BRANCHES. DO NOT REMOVE THE TERMINAL BUDS OF BRANCHES THAT EXTEND TO THE EDGE OF THE CROWN.
2. STAKE TREES ONLY UPON THE APPROVAL OF THE LANDSCAPE ARCHITECT.
3. WRAP TREES ONLY UPON THE APPROVAL OF THE LANDSCAPE ARCHITECT.



1. KEEP CONTAINERS ON PLANTS UNTIL READY TO INSTALL TO MINIMIZE ROOT DAMAGE FROM EXPOSURE TO AIR. GENTLY LOOSEN ROOTS ON ROOTBOUND PLANTS. SEVERELY ROOTBOUND PLANTS WILL BE REJECTED.
2. APPLY BALANCED SLOW RELEASE FERTILIZER PELLETS TO SOIL SURFACE PRIOR TO MULCHING, PER SPECIFIED APPLICATION RATES.
3. WATER PLANTS THOROUGHLY AFTER PLANTING TO SETTLE SOIL.



1. PLANT SPECIES RANDOMLY THROUGHOUT SPECIFIED AREA, MAINTAINING A REPRESENTATIVE RATIO OF SPECIES AS SHOWN IN THE CONCEPT PLANT SCHEDULE THROUGHOUT PLANTING.
2. WHERE PLANTINGS ABOUT WALKWAYS AND STRUCTURES, MAINTAIN A 12" BORDER OF MULCH CONTAINING NO PLUGS
3. WATER PLANTS THOROUGHLY AFTER PLANTING TO SETTLE SOIL.



City of Madison Landscape Worksheet							
Address:		501 Whitney Way		Date:	9/15/2025		
Total Square Footage of Developed Area:	(Site Area)	-		(Building Footprint at Grade)		=	21241
		21241					sf
						21241	
						21241	
Total Landscape Points Required (<5 ac):		21,241	/ 300 =	71	x 5 =	354	354
Landscape Points Required >5 ac:			/ 100 =	0	x 1 =	-	
			Credits/ Existing Landscaping		New/ Proposed Landscaping		
Plant Type/ Element	Min. Size at Installation	Points	Quantity	Points Achieved	Quantity	Points Achieved	
Overstory deciduous tree	2.5" cal	35		0	1	35	
Tall Evergreen Tree	5-6 feet tall	35		0		0	
Ornamental tree	1.5" cal	15		0	17	255	
Upright evergreen shrub	3-4 feet tall	10		0		0	
Shrub, deciduous	#3 gallon	3		0	48	144	
Shrub, evergreen	#3 gallon	4		0		0	
Ornamental grasses/perennials	#1 gallon	2		0		0	
Ornamental/decorative fencing or wall	n/a	4 per 10 LF		0		0	
Existing significant specimen tree	Min. Size 2.5" cal.	14 per caliper inch.		0		0	
Landscape Furniture for public seating and/or transit connections		5 points per "seat"		0		0	
Sub Totals				0		434	
			Total Points Provided:		434		

LANDSCAPE NOTES

REVISIONS			REVISIONS		
NO.	DATE	REMARKS	NO.	DATE	REMARKS

DATE
10/06/2025



DRAFTER

EGOR

CHECK
SCHUL

PROJECT NO
250426

L101


$$1/8" = 1'-0"$$




knothe • bruce
ARCHITECTS

Phone: 8401 Greenway Blvd., Suite 900
608.836.3690 Middleton, WI 53562

ISSUED
2025.10.06 - LU SUBMITTAL

PROJECT TITLE
**Coyle
Whitney Way
Development**


501 N. Whitney Way
Madison, Wisconsin
SHEET TITLE
First Floor Plan

SHEET NUMBER

AC101


PROJECT NO. **2517**

© Knothe & Bruce Architects, LLC



FIRST FLOOR PLAN

1/8" = 1'-0"





knothe • bruce
ARCHITECTS

Phone: 8401 Greenway Blvd., Suite 900
608.836.3690 Middleton, WI 53562

ISSUED
2025.10.06 - LU SUBMITTAL

PROJECT TITLE
Coyle
Whitney Way
Development


501 N. Whitney Way
Madison, Wisconsin
SHEET TITLE
Second Floor Plan

SHEET NUMBER

AC102


PROJECT NO. 2517

© Knothe & Bruce Architects, LLC



SECOND FLOOR PLAN

1/8" = 1'-0"






ISSUED
2025.10.06 - LU SUBMITTAL

PROJECT TITLE
Coyle
Whitney Way
Development


501 N. Whitney Way
Madison, Wisconsin
SHEET TITLE
Third Floor Plan

SHEET NUMBER



THIRD FLOOR PLAN

1/8" = 1'-0"



AC103

PROJECT NO. 2517

© Knothe & Bruce Architects, LLC



knothe • bruce
ARCHITECTS

Phone: 8401 Greenway Blvd., Suite 900
608.836.3690 Middleton, WI 53562

ISSUED
2025.10.06 - LU SUBMITTAL

PROJECT TITLE
**Coyle
Whitney Way
Development**


501 N. Whitney Way
Madison, Wisconsin
SHEET TITLE
Fourth Floor Plan

SHEET NUMBER

AC104


PROJECT NO. **2517**

© Knothe & Bruce Architects, LLC



FOURTH FLOOR PLAN

1/8" = 1'-0"





knothe • bruce
ARCHITECTS

Phone: 8401 Greenway Blvd., Suite 900
608.836.3690 Middleton, WI 53562

ISSUED
2025.10.06 - LU SUBMITTAL

PROJECT TITLE
**Coyle
Whitney Way
Development**


501 N. Whitney Way
Madison, Wisconsin
SHEET TITLE
Fifth Floor Plan

SHEET NUMBER

AC105


PROJECT NO. **2517**

© Knothe & Bruce Architects, LLC



FIFTH FLOOR PLAN

1/8" = 1'-0"



ISSUED
2025.10.06 - LU SUBMITTAL



PROJECT TITLE
**Coyle
Whitney Way
Development**

501 N. Whitney Way
Madison, Wisconsin
SHEET TITLE
Roof Plan

SHEET NUMBER


AC106

PROJECT NO. **2517**
© Knothe & Bruce Architects, LLC



ROOF PLAN

1/8" = 1'-0"






1 SOUTH ELEVATION ALONG SHEBOYGAN AVE.
1/8" = 1'-0"



2 WEST ELEVATION ALONG N. WHITNEY WAY
1/8" = 1'-0"



EXTERIOR MATERIAL SCHEDULE			
MARK	BUILDING ELEMENT	MANUFACTURER	COLOR
01	COMPOSITE HORIZONTAL SIDING	JAMES HARDIE	AGED PEWTER
02	COMPOSITE BOARD & BATTEN	JAMES HARDIE	DEEP OCEAN
03	COMPOSITE VERTICAL SIDING	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
04	COMPOSITE PANEL	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
05	COMPOSITE BALCONY TRIM	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
06	COMPOSITE TRIM	JAMES HARDIE	MATCH W/ ADJACENT SIDING
07	BRICK VENEER	SUMMIT	555 FAWN
08	STONE VENEER	TBD	MATCH WITH BRICK VENEER
09	CAST STONE	EDWARDS	18-018
10	COMPOSITE WINDOWS	TBD	BLACK
11	ALUMINIUM STOREFRONT	TBD	BLACK
12	RAILINGS & HANDRAILS	TBD	BLACK

PROJECT TITLE
COYLE
WHITNEY WAY
DEVELOPMENT

501 N. WHITNEY WAY
MADISON, WI
SHEET TITLE
EXTERIOR
ELEVATIONS


SHEET NUMBER

AC201

PROJECT NUMBER
2517




1 NORTH ELEVATION
AC202 1/8" = 1'-0"




2 NORTH ELEVATION
AC202 1/8" = 1'-0"



3 EAST ELEVATION
AC202 1/8" = 1'-0"



4 EAST ELEVATION
AC202 1/8" = 1'-0"



EXTERIOR MATERIAL SCHEDULE			
MARK	BUILDING ELEMENT	MANUFACTURER	COLOR
01	COMPOSITE HORIZONTAL SIDING	JAMES HARDIE	AGED PEWTER
02	COMPOSITE BOARD & BATTEN	JAMES HARDIE	DEEP OCEAN
03	COMPOSITE VERTICAL SIDING	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
04	COMPOSITE PANEL	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
05	COMPOSITE BALCONY TRIM	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
06	COMPOSITE TRIM	JAMES HARDIE	MATCH W/ ADJACENT SIDING
07	BRICK VENEER	SUMMIT	555 FAWN
08	STONE VENEER	TBD	MATCH WITH BRICK VENEER
09	CAST STONE	EDWARDS	18-018
10	COMPOSITE WINDOWS	TBD	BLACK
11	ALUMINIUM STOREFRONT	TBD	BLACK
12	RAILINGS & HANDRAILS	TBD	BLACK



1 SOUTH ELEVATION ALONG SHEBOYGAN AVE.
1/8" = 1'-0"



2 WEST ELEVATION ALONG N. WHITNEY WAY
1/8" = 1'-0"

EXTERIOR MATERIAL SCHEDULE			
MARK	BUILDING ELEMENT	MANUFACTURER	COLOR
01	COMPOSITE HORIZONTAL SIDING	JAMES HARDIE	AGED PEWTER
02	COMPOSITE BOARD & BATTEN	JAMES HARDIE	DEEP OCEAN
03	COMPOSITE VERTICAL SIDING	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
04	COMPOSITE PANEL	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
05	COMPOSITE BALCONY TRIM	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
06	COMPOSITE TRIM	JAMES HARDIE	MATCH W/ ADJACENT SIDING
07	BRICK VENEER	SUMMIT	555 FAWN
08	STONE VENEER	TBD	MATCH WITH BRICK VENEER
09	CAST STONE	EDWARDS	18-018
10	COMPOSITE WINDOWS	TBD	BLACK
11	ALUMINIUM STOREFRONT	TBD	BLACK
12	RAILINGS & HANDRAILS	TBD	BLACK



1 NORTH ELEVATION
AC204 1/8" = 1'-0"




2 NORTH ELEVATION
AC204 1/8" = 1'-0"



3 EAST ELEVATION
AC204 1/8" = 1'-0"



4 EAST ELEVATION
AC204 1/8" = 1'-0"



EXTERIOR MATERIAL SCHEDULE			
MARK	BUILDING ELEMENT	MANUFACTURER	COLOR
01	COMPOSITE HORIZONTAL SIDING	JAMES HARDIE	AGED PEWTER
02	COMPOSITE BOARD & BATTEN	JAMES HARDIE	DEEP OCEAN
03	COMPOSITE VERTICAL SIDING	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
04	COMPOSITE PANEL	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
05	COMPOSITE BALCONY TRIM	JAMES HARDIE	BEAVERTAIL BROWN - DREAM COLLECTION
06	COMPOSITE TRIM	JAMES HARDIE	MATCH W/ ADJACENT SIDING
07	BRICK VENEER	SUMMIT	555 FAWN
08	STONE VENEER	TBD	MATCH WITH BRICK VENEER
09	CAST STONE	EDWARDS	18-018
10	COMPOSITE WINDOWS	TBD	BLACK
11	ALUMINIUM STOREFRONT	TBD	BLACK
12	RAILINGS & HANDRAILS	TBD	BLACK



CONCEPT IMAGE

COYLE WHITNEY WAY DEVELOPMENT
501 N. WHITNEY WAY MADISON, WI



CONCEPT IMAGE

COYLE WHITNEY WAY DEVELOPMENT
501 N. WHITNEY WAY MADISON, WI





CONCEPT IMAGE

COYLE WHITNEY WAY DEVELOPMENT
501 N. WHITNEY WAY MADISON, WI

LUA SUBMITTAL | 2025.10.06 | 2517





CONCEPT IMAGE

COYLE WHITNEY WAY DEVELOPMENT
501 N. WHITNEY WAY MADISON, WI

LUA SUBMITTAL | 2025.10.06 | 2517





CONCEPT IMAGE

COYLE WHITNEY WAY DEVELOPMENT
501 N. WHITNEY WAY MADISON, WI

LUA SUBMITTAL | 2025.10.06 | 2517

