



Department of Planning & Community & Economic Development

## Planning Division

Heather Stouder, Director

Madison Municipal Building, Suite LL-100

126 S. Hamilton Street

P.O. Box 2985

Madison, Wisconsin 53701-2985

Phone: (608) 266-4635

Fax (608) 267-8739

[www.cityofmadison.com](http://www.cityofmadison.com)

August 30, 2017

Thomas Knoop  
Sullivan Design/BUILD  
1314 Emil Street  
Madison, WI 53713

RE: Legistar #48148; Accela 'LNDUSE-2017-00069' -- Approval of a demolition permit to allow a one-story auto sales facility to be demolished and a new one-story auto sales facility to be constructed at **1809 West Beltline Highway**.

Dear Mr. Knoop:

At its August 28, 2017 meeting, the Plan Commission, meeting in regular session, found the standards met and approved your client's demolition permit request to allow a one-story auto sales facility to be demolished and a new one-story auto sales facility to be constructed at **1809 West Beltline Highway**. The conditions of approval in the following sections shall be satisfied prior to issuance of demolition or building permits for the project.

**Please contact Timothy Troester of the City Engineering Division at 267-1995 if you have any questions regarding the following seventeen (17) items:**

1. Prior to approval, the owner or owner's representative shall obtain a permit to plug each existing sanitary sewer lateral that serves a building which is proposed for demolition. For each lateral to be plugged the owner shall complete a sewer lateral plugging application and pay the applicable permit fees. The permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm> (MGO CH 35.02(14))
2. All outstanding Madison Metropolitan Sewerage District (MMSD) charges are due and payable prior to Engineering sign-off, unless otherwise collected with a Developer's / Subdivision Contract. Contact Mark Moder (608-261-9250) to obtain the final MMSD billing a minimum of two (2) working days prior to requesting City Engineering signoff. (MGO16.23(9)(d)(4))
3. The site plan shall be revised to show all existing public sanitary sewer facilities in the project area as well as the size, invert elevation, and alignment of the proposed service. (POLICY)

4. The applicant's utility contractor shall obtain a connection permit and excavation permit prior to commencing the storm sewer construction. MGO 37.05(7) This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>. It appears the proposed connection invert is too low for the existing inlet to serve. Verify inlets and revise storm sewer design as needed.
5. The applicant shall demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. This project requires an EC Permit & Plan. EC Permit application can be found at <http://www.cityofmadison.com/engineering/permits.cfm>. The erosion control plan shall include Universal Soil Loss Equation (USLE) computations for the construction period. Measures shall be implemented in order to maintain a soil loss rate below 5.0 tons per acre per year.
6. The Applicant shall submit prior to plan sign-off, electronic copies of any Stormwater Management Files including:
  - (a) SLAMM DAT files
  - (b) RECARGA files
  - (c) TR-55/HYDROCAD/Etc
  - (d) Sediment loading calculations. If calculations are done by hand or are not available electronically the hand copies or printed output shall be scanned to a PDF file and provided. (POLICY and MGO 37.09(2))
7. Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to Reduce TSS by 80% (TMDL) off of the proposed development when compared with the existing site. Oil/Grease Control is required for the proposed parking areas.
8. Submit a draft Stormwater Management Maintenance Agreement (SWMA) for review and approval that covers inspection and maintenance requirements for any BMP used to meet stormwater management requirements on this project. Include copies of all stormwater, utility, and detail plan sheets that contain stormwater practices on 8.5x14 size paper in the draft document. These drawings do not need to be to scale as they are for informational purposes only. Once City Engineering staff have reviewed the draft document and approved it with any required revisions submit a signed and notarized original copy to City Engineering. Include a check for \$30.00 made out to Dane County Register of Deeds for the recording fee. City Engineering will forward the document and fee for recording at the time of issuance of the stormwater management permit. Draft document can be emailed to Tim Troester (west) at [ttroester@cityofmadison.com](mailto:ttroester@cityofmadison.com), or Jeff Benedict at [jbenedict@cityofmadison.com](mailto:jbenedict@cityofmadison.com) final document and fee should be submitted to City Engineering.
9. This project will require a concrete management plan as part of the erosion control plan to be reviewed and approved by the City Engineer's Office. (POLICY)
10. This site appears to disturb over one (1) acre of land and requires a permit from the WDNR for stormwater management and erosion control. The City of Madison has been required by the WDNR to review projects for compliance with NR216 and NR-151 however a separate permit submittal is still required to the WDNR for this work. The City of Madison cannot issue our permit until concurrence is obtained from the WDNR via their NOI or WRAPP permit process. Contact Eric Rortvedt at 273-5612 of the WDNR to discuss this requirement. Information on this permit application is available on line <http://dnr.wi.gov/Runoff/stormwater/constformsinfo.htm> (NOTIFICATION)

11. The construction of this project will require that the applicant shall enter into a City / Developer agreement for the required infrastructure improvements. The applicant shall contact City Engineering to schedule the development of the plans and the agreement. The City Engineer will not sign off on this project without the agreement executed by the developer. Obtaining a developer's agreement generally takes approximately 4-6 weeks, minimum. (MGO 16.23(9)c)
12. The approval of this zoning approval does not include the approval of the changes to roadways, sidewalks or utilities. The applicant shall obtain separate approval by the Board of Public Works and the Common Council for the restoration of the public right of way including any changes requested by developer. The City Engineer shall complete the final plans for the restoration with input from the developer. (MGO 16.23(9)(d)(6))
13. The Applicant shall provide the City Engineer with a survey indicating the grade of the existing sidewalk and street. The Applicant shall hire a Professional Engineer to set the grade of the building entrances adjacent to the public right of way. The Applicant shall provide the City Engineer the proposed grade of the building entrances. The City Engineer shall approve the grade of the entrances prior to signing off on this development. (POLICY)
14. The Applicant shall replace all sidewalk and curb and gutter which abuts the property which is damaged by the construction or any sidewalk and curb and gutter which the City Engineer determines needs to be replaced because it is not at a desirable grade regardless of whether the condition existed prior to beginning construction. (POLICY)
15. All work in the public right-of-way shall be performed by a City licensed contractor. (MGO 16.23(9)(c)5) and MGO 23.01)
16. All damage to the pavement on W Beltline Frontage Rd, adjacent to this development shall be restored in accordance with the City of Madison's Pavement Patching Criteria. For additional information please see the following link: <http://www.cityofmadison.com/engineering/patchingCriteria.cfm> (POLICY)
17. The Applicant shall Construct Sidewalk to a plan approved by the City.

**Please contact Jeff Quamme of the City Engineering Division–Mapping Section at 266-4097 if you have any questions regarding the following two (2) items:**

18. This parcel at 1809 W. Beltline Hwy. (0709-344-0089-0) and the parcel at 1813 W. Beltline Hwy. (0709-344-0094-9) have been conveyed as a single parcel since at least 1947. There has not been a legal land division of the lands in the record at the Register of Deeds during that time frame. The City of Madison Assessor's office will combine the two tax parcels into one tax parcel.
19. Applicant shall provide a copy of a recorded access agreement that provides for access between this property and the two parcels in the Town of Madison at 2810 Bryant Road and 1801 W. Beltline Highway.

**Please contact Eric Halvorson of the City Engineering-Traffic Section at 266-2657 if you have any questions regarding the following nine (9) items:**

20. The applicant shall provide a clearly defined 5' walkway clear of all obstructions to assist citizens with disabilities, especially those who use a wheel chair or are visually impaired. Obstructions include but are not limited to tree grates, planters, benches, parked vehicle overhang, signage, vehicle display and doors that swing outward into walkway.
21. The applicant shall align the pedestrian walkway from the public Right-of-Way to the front walkway adjacent the western entrance.
22. It is recommended all bicycle racks be two feet from all walkways to accommodate bicycle trailers and irregularly parked bicycles.
23. The applicant shall submit one contiguous plan showing proposed conditions and one contiguous plan showing existing conditions for approval. The plan drawings shall be scaled to 1" = 20' and include the following, when applicable: existing and proposed property lines; parcel addresses; all easements; pavement markings; signing; building placement; items in the terrace such as signs, street light poles, hydrants; surface types such as asphalt, concrete, grass, sidewalk; driveway approaches, including those adjacent to and across street from the project lot location; parking stall dimensions, including two (2) feet of vehicle overhang; drive aisle dimensions; semitrailer movement and vehicle routes; dimensions of radii; and percent of slope.
24. The Developer shall post a security deposit prior to the start of development. In the event that modifications need to be made to any City owned and/or maintained traffic signals, street lighting, signing, pavement marking and conduit/handholes, the Developer shall reimburse the City for all associated costs including engineering, labor and materials for both temporary and permanent installations.
25. The City Traffic Engineer may require public signing and marking related to the development; the Developer shall be financially responsible for such signing and marking.
26. All parking facility design shall conform to MGO standards, as set in section 10.08(6).
27. The applicant shall submit for review all cross-access easements and note on the face of the plan.
28. The applicant shall install sidewalk along the West Beltline Frontage Road.

**Please contact Jenny Kirchgatter of the Zoning Division at 266-4429 if you have any questions regarding the following seventeen (17) items:**

29. The proposed building shall comply with the design standards for building materials in Section 28.060. Reduce the use of EIFS on the building. EIFS is allowable for use as a trim or accent material or at the top of a building. This material shall not be used within three feet of the ground or used in heavily trafficked pedestrian areas or where high pedestrian traffic is anticipated.

30. Section 28.185(7)(a)5. requires that if a demolition or removal permit is approved, it shall not be issued until the reuse and recycling plan is approved by the Recycling Coordinator, Bryan Johnson (608-266-4682).
31. Section 28.185(10) Every person who is required to submit a reuse and recycling plan pursuant to Section 28.185 (7)(a)5. shall submit documents showing compliance with the plan within sixty (60) days of completion of demolition.
32. Section 28.185(9)(a) A demolition or removal permit is valid for one (1) year from the date of the Plan Commission.
33. Submit an overall site plan exhibit for the entire zoning lot including the property to the south located at 1813 W Beltline Highway.
34. Verify and provide a calculation for lot coverage with the final submittal. The lot coverage maximum is 85%. Lot coverage is defined as the total area of all buildings, measured at grade, all accessory structures including pools, patios, etc., and all paved areas as a percentage of the total area of the lot, with the following exceptions: sidewalks or paved paths no wider than five (5) feet, pervious pavement, green roofs and decks.
35. Label the various types of parking on the site plan, including employee, customer, service, and inventory stalls.
36. Bicycle parking shall comply with the requirements of Sections 28.141(4)(g) and 28.141(11). Provide a minimum of one (1) bicycle stall per five (5) employees located in a convenient and visible area on a paved or impervious surface. Bicycle parking shall be located at least as close as the closest non-accessible automobile parking and within one hundred (100) feet of a principal entrance. Note: A bicycle stall is a minimum of two (2) feet by six (6) feet with a five (5) foot wide access area. Provide a detail of the proposed bike rack.
37. Submit the landscape plan and landscape worksheet stamped by the registered landscape architect. Per Section 28.142(3) Landscape Plan and Design Standards, landscape plans for zoning lots greater than ten thousand (10,000) square feet in size must be prepared by a registered landscape architect.
38. Per Sections 28.142(3)(c) and 28.142(4)(e), planting beds or planted areas must contain at least 75% vegetative cover mulched. Mulch shall consist of shredded bark, chipped wood or other organic material installed at a minimum depth of two (2) inches.
39. Provide adequate development frontage landscaping per Section 28.142(5) Development Frontage Landscaping. Landscaping and/or ornamental fencing shall be provided between buildings or parking areas and the adjacent street(s), except where buildings are placed at the sidewalk. One (1) overstory deciduous tree and five (5) shrubs shall be planted for each thirty (30) lineal feet of lot frontage. Two (2) ornamental trees or two (2) evergreen trees may be used in place of one (1) overstory deciduous tree. Note that landscaping must be installed on the private property.

40. Show the refuse disposal area on the site plan. All developments, except single family and two family developments, shall provide a refuse disposal area. If the refuse disposal area is located outside the building, it shall be screened on four (4) sides (including a gate for access) by a solid, commercial-grade wood fence, wall, or equivalent material with a minimum height of six (6) feet and not greater than eight (8) feet. Submit a detail of the trash enclosure if provided outside the building.
41. Submit a rooftop plan showing the location of any proposed rooftop mechanical equipment and screening. All rooftop equipment shall be screened from view from adjacent streets and public rights-of-way per Sections 28.060(2)(f) and 28.142(9)(d). Screens shall be of durable, permanent materials that are compatible with the primary building materials.
42. Provide details showing that the primary street façade meets the door and window opening requirements of Section 28.060(2)(d). For nonresidential uses at ground floor level, windows and doors or other openings shall comprise at least sixty percent (60%) of the length and at least forty percent (40%) of the area of the ground floor of the primary street facade. At least fifty percent (50%) of windows on the primary street facade shall have the lower sill within three (3) feet of grade.
43. Exterior lighting provided shall be in accordance with City of Madison General Ordinances Section 10.085. Provide an exterior lighting plan and fixture cut sheets with the final plan submittal.
44. Per Section 28.186(4)(b), the property owner or operator is required to bring the property into compliance with all elements of the approved site plans by the date established by the Zoning Administrator as part of the site and building plan approval. Work with Zoning staff to establish a final site compliance date.
45. Signage approvals are not granted by the Plan Commission. Signage must be reviewed for compliance with Chapter 31 Sign Codes of the Madison General Ordinances. Signage permits are issued by the Zoning Section of the Department of Planning and Community and Economic Development.

**Please contact Bill Sullivan of the Madison Fire Department at 261-9658 if you have any questions regarding the following two (2) items:**

46. The fire access lanes proposed on Sheet 4 of 5 are based on the parameters of a fully sprinklered building; however, the 1.5-inch water supply would not be sufficient to supply the proposed fire sprinkler system.
47. Without the installation of a fire sprinkler system, the indoor display of vehicles shall comply with IFC 314.4.

**Please contact Janet Schmidt of the Madison Parks Division at 261-9688 if you have any questions regarding the following two (2) items:**

48. Additional street trees are needed for this project. All street tree planting locations and tree species within the right of way shall be determined by City Forestry. Please submit a site plan (in PDF format) to Brad Hofmann – [bhofmann@cityofmadison.com](mailto:bhofmann@cityofmadison.com) or 266-4816. Tree planting specifications can be found in section 209 of City of Madison Standard Specifications for Public Works Construction - <http://www.cityofmadison.com/business/pw/documents/StdSpecs/2013/Part2.pdf>.

49. Contractor shall contact City Forestry [bhofmann@cityofmadison.com](mailto:bhofmann@cityofmadison.com) or 266-4816 at least one week prior to planting to schedule inspecting the nursery stock and review planting specifications with the landscaper.

**Please contact Adam Wiederhoeft of the Madison Water Utility at 266-9121 if you have any questions regarding the following four (4) items:**

50. A private well may have served this parcel prior to the municipal water service connection. Any remaining unused/unpermitted private wells existing on this parcel must be properly abandoned according to Wisconsin Administrative Code NR 812 and Madison General Ordinance 13.21 prior to the demolition of the property. Please contact water utility staff at (608) 266-4654 for additional information regarding well abandonment procedures and potential well abandonment reimbursement programs.
51. A Water Meter Application Form and fees must be submitted before connecting to the existing water lateral. Provide at least two working days notice between the application submittal and the scheduled lateral connection/extension. Application materials are available on the Water Utility's Plumbers & Contractors website (<http://www.cityofmadison.com/water/plumberscontractors>), otherwise they may be obtained from the Water Utility Main Office at 119 E Olin Ave. A licensed plumber signature is required on all water service applications. For new or replacement services, the property owner or authorized agent is also required to sign the application. If you have questions regarding water service applications, please contact Madison Water Utility at (608) 266-4646.
52. The proposed development may require the installation of a fire protection/automatic sprinkler system (see also Madison Fire Department review comments); subsequently, a higher capacity water service lateral may be required to meet required flow rates. If a new water service will be required, contact Madison Water Utility Engineering Section to evaluate service connection options, confirmation of water meter size, or any applicable customer account revisions.
53. Madison Water Utility will be required to sign off as part of the approval review associated with this Land Use Application/Site Plan Review prior to the issuance of building permits for the proposed development.

**Please contact my office at 243-0554 if you have questions regarding the following item:**

54. The applicant shall provide all building elevations to City Staff for final sign-off.

**Specific questions regarding the comments or conditions contained in this letter should be directed to the commenting agency.**

**No interior, exterior or structural demolition or wrecking activities or remodeling activities (including material reclamation activities by the applicant or a third party) shall commence nor any wrecking or building permits be issued until the applicant has met all of the conditions of approval stated in this letter.**

**Please now follow the procedures listed below for obtaining permits for your project:**

1. Please revise your plans per the above conditions and submit **nine (9) copies** of a complete, fully dimensioned and scaled plan set to the Zoning Administrator for final review and comment. Also be sure to include any additional materials requested by these departments for their approval prior to sign off. The final site plan shall be accompanied by the appropriate site plan review application and fee pursuant to Section 28.206 of the Zoning Code, and any other documentation requested herein with the Zoning Administrator, 126 S. Hamilton Street. **This submittal shall all also include one complete digital plan set in PDF format.** The sets of final revised plans or documents will be circulated by the Zoning staff to the City department staff listed above for their final approval.
2. Approval of plans for this project does not include any approval to prune, remove or plant trees in the public right-of-way. Permission for such activities must be obtained from the City Forester, 266-4816.
3. A demolition or removal permit is valid for one (1) year from the date of the Plan Commission. Where the plans have not been altered since issuance of the demolition or removal permit and the permit has expired, the Director of Planning and Community and Economic Development may, after consultation with the Alderperson of the District, approve an extension for up to 24 months from the expiration date.
4. A reuse and recycling plan approved by the Recycling Coordinator is required by ordinance prior to the issuance of a wrecking permit. The reuse and recycling plan shall be submitted along with the resubmittal of site plans for forwarding to the Recycling Coordinator.
5. The Madison Water Utility shall be notified to remove the water meters prior to demolition. This property is not in a wellhead protection district. All wells located on this property shall be abandoned if no valid well operation permit has been obtained from the Madison Water Utility. The Water Utility will not need to sign off the final plans, and will not need a copy of the approved plans.



If you have any questions regarding obtaining your demolition or building permits, please contact the Zoning Administrator at 266-4551. If you have any questions or if I may be of any further assistance, please do not hesitate to contact my office at 243-0554.

Sincerely,



Sydney Prusak  
Planner

I hereby acknowledge that I understand and will comply with the above conditions of approval for the demolition permit.

\_\_\_\_\_  
*Signature of Applicant*

\_\_\_\_\_  
*Signature of Property Owner (if not the applicant)*

cc: Timothy Troester, City Engineering  
Jeff Quamme, Engineering Mapping  
Eric Halvorson, Traffic Engineering  
Jenny Kirchgatter, Zoning  
Bill Sullivan, Fire Department  
Janet Schmidt, Parks Division  
Adam Wiederhoeft, Water Utility  
Bryan Johnson, Recycling Coordinator

For Official Use Only, Re: Final Plan Routing			
<input checked="" type="checkbox"/>	Planning Div. (Prusak)	<input checked="" type="checkbox"/>	Engineering Mapping Sec.
<input checked="" type="checkbox"/>	Zoning Administrator	<input checked="" type="checkbox"/>	Parks Division
<input checked="" type="checkbox"/>	City Engineering	<input type="checkbox"/>	Urban Design Commission
<input checked="" type="checkbox"/>	Traffic Engineering	<input checked="" type="checkbox"/>	Recycling Coord. (R&R)
<input checked="" type="checkbox"/>	Fire Department	<input type="checkbox"/>	Metro Transit
<input checked="" type="checkbox"/>	Water Utility		