

LANDMARKS COMMISSION APPLICATION

LC

Complete all sections of this application, making sure to note the requirements on the accompanying checklist (reverse).

If you need an interpreter, translator, materials in alternate formats or other accommodations to access these forms, please call (608) 266-4635

City of Madison
Planning Division
215 Martin Luther King Jr Blvd, Ste 017
PO Box 2985
Madison, WI 53701-2985
(608) 266-4635



1. LOCATION

Project Address: _____ Aldermanic District: _____

2. PROJECT

Project Title/Description: _____

This is an application for: (check all that apply)

- ☐ **New Construction/Alteration/Addition in a Local Historic District or Designated Landmark (specify)**:**
- ☐ Mansion Hill ☐ Third Lake Ridge ☐ First Settlement
- ☐ University Heights ☐ Marquette Bungalows ☐ Landmark
- ☐ **Land Division/Combination in a Local Historic District or to Designated Landmark Site (specify)**:**
- ☐ Mansion Hill ☐ Third Lake Ridge ☐ First Settlement
- ☐ University Heights ☐ Marquette Bungalows ☐ Landmark
- ☐ **Demolition**
- ☐ **Alteration/Addition to a building adjacent to a Designated Landmark**
- ☐ **Variance from the Historic Preservation Ordinance (Chapter 41)**
- ☐ **Landmark Nomination/Rescission or Historic District Nomination/Amendment**
(Please contact the Historic Preservation Planner for specific Submission Requirements.)
- ☐ **Other (specify):** _____

DPCED USE ONLY	Legistar #:
	DATE STAMP
	Preliminary Zoning Review Zoning Staff Initial: Date: / /

3. APPLICANT

Applicant's Name: _____ Company: _____

Address: _____
Street City State Zip

Telephone: _____ Email: _____

Property Owner (if not applicant): _____

Address: _____
Street City State Zip

Property Owner's Signature: _____ Date: _____

NOTICE REGARDING LOBBYING ORDINANCE: If you are seeking approval of a development that has over 40,000 square feet of non-residential space, or a residential development of over 10 dwelling units, or if you are seeking assistance from the City with a value of \$10,000 (including grants, loans, TIF or similar assistance), then you likely are subject to Madison's lobbying ordinance (Sec. 2.40, MGO). You are required to register and report your lobbying. Please consult the City Clerk's Office for more information. Failure to comply with the lobbying ordinance may result in fines.

4. APPLICATION SUBMISSION REQUIREMENTS (see checklist on reverse)

All applications must be filed by 12:00 pm on the submission date with the Preservation Planner. Applications submitted after the submission date or incomplete applications will be postponed to the next scheduled filing time. Submission deadlines can be viewed here: https://www.cityofmadison.com/dpced/planning/documents/LC_Meeting_Schedule_Dates.pdf

APPLICATION SUBMISSION REQUIREMENTS CHECKLIST:

In order to be considered complete, every application submission shall include at least the following information unless otherwise waived by the Preservation Planner. **All application materials should be submitted electronically to landmarkscommission@cityofmadison.com.** Please note that an individual email cannot exceed 20 MB.

- ☐ Landmarks Commission Application w/signature of the property owner.
- ☐ Narrative Description/Letter of Intent addressed to the Landmarks Commission, describing the location of the property and the scope of the proposed project.
 - ☐ Photographs of existing conditions;
 - ☐ Photographs of existing context;
- ☐ Architectural drawings reduced to 11" x 17" or smaller pages which may include:
 - ☐ Dimensioned site plans showing siting of structures, grading, landscaping, pedestrian and vehicular access, lighting, signage, and other features;
 - ☐ Elevations of all sides showing exterior features and finishes, subsurface construction, floor and roof;
 - ☐ Floor Plan views of levels and roof;
 - ☐ For proposals of more than two (2) commercial or residential or combination thereof units, a minimum of two (2) accurate street-view normal perspectives shown from a viewpoint of no more than five (5) feet above existing grade.
- ☐ ******Landmarks Commission staff will preliminarily review projects related to the construction of additions and/or new construction with Zoning staff in order to determine the completeness of the submission materials. Applicants are encouraged to contact Zoning staff to discuss projects early in the process;
- ☐ Any other information requested by the Preservation Planner to convey the aspects of the project which may include:
 - ☐ Perspective drawing
 - ☐ Photographs of examples on another historic resource
 - ☐ Manufacturer's product information showing dimensions and materials;
 - ☐ Other _____

CONTACT THE PRESERVATION PLANNER:

Please contact the Preservation Planner with any questions.

City of Madison Planning Division
215 Martin Luther King Jr Blvd, Suite 017
PO Box 2985 (mailing address)
Madison, WI 53701-2985
landmarkscommission@cityofmadison.com
(608) 266-6552



Madison Parks Division

210 Martin Luther King, Jr. Blvd., Room 104
PO Box 2987
Madison, WI 53701-2987
608-266-4711 • cityofmadison.com/parks

play
**MADISON
PARKS**

City Of Madison
Landmarks Commission
P.O. Box 2985
Madison, WI 53701-2985

Date: 4/23/2021

To: Heather Bailey, Preservation Planner

RE: Basketball Court Replacement at Tenney Park

The City of Madison Parks Division wishes to submit the following project for approval by Landmarks Commission. Please consider this narrative and description of construction activities and the attached preliminary plans for review.

The planned project activities consist of the replacement of the existing basketball courts at Tenney Park.

There currently exists two basketball courts located on the island at Tenney Park. One court is a small full court and the other a small half court. Neither of these courts are regulation size. The condition of the existing asphalt and hoops is poor and the courts are at the end of their useful lifespan. If Parks Division wishes to continue to provide basketball at Tenney Park, the courts will need to be replaced.

The proposed project proposes to replace the existing courts with a single, full court, regulation sized court. The new court would be in the same approximate location as existing. The orientation would change to north/south and a small asphalt connection path would be added to provide required ADA access. The exact size, location, and dimensions of the court can be seen on the attached preliminary construction plans.

Both the existing and proposed courts are asphalt. Construction would involve removal of the existing asphalt, underlying gravel base course, and hoops. The new court would be graded to the recommended 1% cross slope, new hoops would be installed, and court markings painted. The new arrangement would represent a small reduction in impervious area in the park.

If there are any questions with the above information please contact or Corey Stelljes at cstelljes@cityofmadison.com or (608) 266-6518.

Sincerely,




Eric Knepp – Superintendent of Parks

cc: Ann Freiwald, Parks Division
Corey Stelljes, Parks Division

Enclosures:

Preliminary site access and erosion control plan, grading plan, details, application form and site photos.



City of Madison
Department of Public Works
PARKS DIVISION
*City-County Building, Suite 104
210 Martin Luther King, Jr. Blvd.
Madison, WI 53703*

play
**MADISON
PARKS**

Graphical Scale

0

30

N

PROJECT:

PARK PAVING 2021

PROJECT ADDRESS:

*TENNEY PARK
402 N THORNTON
AVE
MADISON, WI 53703*

Although every effort has been made in preparing these plans and checking them for accuracy, the contractor and subcontractors must check all details and dimensions of their trade and be responsible for the same.

ITEM	DATE
ADVERTISED	5-6-21

PUBLIC WORKS PROJECT #:

TBD


SHEET TITLE:

DISPLAY


SHEET NUMBER:

8.0

\\FPS2\Data2\Paroot\Planning\Capital Projects\Park Paving\Park Paving-2021\Tenney\CAD\TenneyBB.dwg



City of Madison
Department of Public Works
PARKS DIVISION
*City-County Building, Suite 104
210 Martin Luther King, Jr. Blvd.
Madison, WI 53703*



PROJECT:
PARK PAVING 2021

PROJECT ADDRESS:
***TENNEY PARK
402 N THORNTON
AVE
MADISON, WI 53703***


Although every effort has been made in preparing these plans and checking them for accuracy, the contractor and subcontractors must check all details and dimensions of their trade and be responsible for the same.

ITEM	DATE
ADVERTISED	5-6-21

PUBLIC WORKS PROJECT #:
9039

SHEET TITLE:
***SITE ACCESS AND
EROSION CONTROL***

SHEET NUMBER:
8.1



City of Madison
Department of Public Works
PARKS DIVISION
*City-County Building, Suite 104
210 Martin Luther King, Jr. Blvd.
Madison, WI 53703*

play
**MADISON
PARKS**

Graphical Scale

030

N

PROJECT:

PARK PAVING 2021

PROJECT ADDRESS:

*TENNEY PARK
402 N THORNTON
AVE
MADISON, WI 53703*

Although every effort has been made in preparing these plans and checking them for accuracy, the contractor and subcontractors must check all details and dimensions of their trade and be responsible for the same.

ITEM	DATE
ADVERTISED	5-6-21

PUBLIC WORKS PROJECT #:

9039

SHEET TITLE:


GRADING

SHEET NUMBER:

8.2

\\FPS2\Data2\Paroot\Planning\Capital Projects\Park Paving\Park Paving-2021\Tenney\CAD\TenneyBB.dwg

BASKETBALL STANDARD TO BE USED
ON ALL COURTS. BASE SHALL BE
POURED CONCRETE PER DETAIL.



Pole shall be constructed of 6" square, 3/16" wall structural steel tube suitable for a 39" in-ground installation. 45° extension arm shall be 6" square, 3/16" wall structural tube with a 4" square, 1/8" wall steel tube horizontal support and 1/4" thick steel backboard support plate. Pole shall be designed so that rim mounts directly to pole to minimize stress on the backboard. Extension arm shall be mounted by means of 6 each 5/8" grade 8 bolts. Pole system shall provide a minimum setback from the front of pole to front of backboard of 60". Entire pole system shall have a textured black polyester powder coated finish and carry a lifetime functional warranty. Vertical pole shall be capped to keep out rain. Backboard shall be constructed of formed and welded steel with a 42" x 72" rectangular playing surface. Skin shall be 12 ga. mild steel and rear structure shall be 7 ga. and 10 ga. steel. All edges of the skin shall be formed in such a way that no shear edges are exposed. Boards with exposed shear edges shall not be considered equal. The backboard shall be coated with a white polyester powder coated finish and have an official-sized orange shooter's square. Backboards shall carry an unconditional lifetime functional warranty. Rim shall consist of two 5/8" diameter high strength steel rings welded together at a minimum of six places. Back and side plates shall be 3/16" thick and be continuously welded. The net attachment system shall be of a continuous type constructed of 3/16" x 1" steel with punched net attachment slots suitable for nylon (included) or chain (optional) nets. Individual or continuous wire formed netlocks are not an acceptable equal. Rim shall have an unconditional lifetime warranty and orange powder coated finish. Installation to be completed in accordance to manufacturer's instructions. Do not scale drawings. Entire system weight shall be 525#.



PRODUCT SPECIFICATION

BA871XL-BK STEEL ULTIMATE™ PLAYGROUND BASKETBALL SYSTEM

REVISED 7/1/17

603 L Street, Lincoln, NE 68508 - Phone: (800) 247-7668 - Fax: (800) 638-0698 - www.bisoninc.com - info@bisoninc.com

City of Madison
Department of Public Works
PARKS DIVISION
City-County Building, Suite 104
210 Martin Luther King, Jr. Blvd.
Madison, WI 53703



PROJECT:
PARK PAVING 2021

PROJECT ADDRESS:

Although every effort has been made in preparing these plans and checking them for accuracy, the contractor and subcontractors must check all details and dimensions of their trade and be responsible for the same.

ITEM	DATE
ADVERTISED	5-6-21


PUBLIC WORKS PROJECT #:
9039

SHEET TITLE:
DETAILS

SHEET NUMBER:
D-2

BASKETBALL COURT LAYOUT AND STRIPING DETAILS

BASKETBALL POLES AND BACKBOARD SHALL BE BISON MODEL BA871XL-BK OR APPROVED EQUAL



FULL COURT DIMENSIONS
(TYPICAL)

ASPHALT: 52'X96'
BORDER LINES: 50'X84'
GRAVEL BASE: 54'X98'
TOPSOIL OFFSET: 56'X90'

HALF COURT DIMENSIONS
(TYPICAL)

ASPHALT: 52'X44'
BORDER LINES: 50'X42'
GRAVEL BASE: 54'X46'
TOPSOIL OFFSET: 56'X48'

TOPSOIL OFFSET SHALL CONSIST
OF 2' AT 4% FROM ASPHALT EDGE

City of Madison
Department of Public Works
PARKS DIVISION
*City-County Building, Suite 104
210 Martin Luther King, Jr. Blvd.
Madison, WI 53703*

play
**MADISON
PARKS**

PROJECT:
PARK PAVING 2021

PROJECT ADDRESS:

Although every effort has been made in preparing these plans and checking them for accuracy, the contractor and subcontractors must check all details and dimensions of their trade and be responsible for the same.

ITEM	DATE
ADVERTISED	5-6-21

PUBLIC WORKS PROJECT #:
9039

SHEET TITLE:
DETAILS

SHEET NUMBER:
D-3

Tenney Park Basketball Courts

Site photos



Existing full court basketball hoop and court



Asphalt contains large cracks



Hoops are in poor condition



Half court asphalt and hoop



Half court asphalt in poor condition



New full court installed at Sandburg Park in 2019